

reviewed all

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	<i>1</i>	base adj engine adj value adj minus	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 22:22
L2	<i>1</i>	(base adj engine adj value) same minus same diameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 22:24
L3	0	(base adj variable adj value) same minus same pluse	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 22:24
L4	<i>5</i>	(base adj variable) same minus same plus	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 22:29
L5	10075	initial same plus same (portion or part)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 22:31
L7	5956120	initial adj value adj plus adj\$1 portion	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 22:32
L8	<i>86</i>	optimiz\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 22:32
L9	<i>5</i>	7 same 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 22:32

L10	444358	optimiz\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 22:33
L11	32707	7 same 10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 22:34
L12	12140	model and attributes and engine	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 22:34
L13	538	11 and 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 22:35
L14	892525	selecting	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 22:35
L15	351	13 and 14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 22:35
L16	8974	knowledge adj base	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 22:35
L17	37	15 and 16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 22:38

L18	2	"20030000500".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 22:38
L19	444358	optimiz\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 22:38
L20	1	18 and 19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 22:42
L21	697440	model	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 22:43
L22	368704	model	USPAT	OR	OFF	2005/12/08 22:43
L23	0	18 and 22	USPAT	OR	OFF	2005/12/08 22:43

EAST - [Default EAST Workspace (Flat Panel LANDSCAPE) App2]

File View Edit Tools Window Help

Drafts Pending Active Failed Saved

✓ reviewed all

S1: (22) attributes same model same stor55 same high same low

S2: (450) 706/47.ccls.

S3: (4) crandall-john-g.in.

S4: (0) crandall-john.in.

S5: (0) chatfoield-glen-f.in.

S6: (20) chatfield-glen-f.in.

S7: (155001) attributes

S8: (2) S6 and S7

S9: (0) chatfield-glen.in.

S10: (356) chatfield.in.

S11: (42103) (parameters or attributes) same engine

S12: (6) S10 and S11

S13: (5) optim\$4 and variable\$1 and select\$4 and high and low and attributes and simulat\$4 and com...

Favorites Tagged (1) UDC Queue Trash

Ready RUN


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alt](#)

Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((attributes and engine and model and variable and simulat*)<in>metadata)"

e-mail

Your search matched 4 of 1278046 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

((attributes and engine and model and variable and simulat*)<in>metadata)



Check to search only within this results set

» Key

Display Format:



Citation



Citation & Abstract

IEEE JNL	IEEE Journal or Magazine
IEEE JNL	IEEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEEE CNF	IEEE Conference Proceeding
IEEE STD	IEEE Standard

Select Article Information

**1. Design and implementation of a hybrid modelling and simulation strategy for integrated con**

Linkens, D.A.; Tanyi, E.B.;

Computer-Aided Control System Design, 1996., Proceedings of the 1996 IEEE International Sympos
15-18 Sept. 1996 Page(s):352 - 357

Digital Object Identifier 10.1109/CACSD.1996.555317

[AbstractPlus](#) | Full Text: [PDF](#)(476 KB) IEEE CNF**2. Design and implementation of a knowledge-based framework for the modelling and simulati**

Linkens, D.A.; Tanyi, E.B.;

Control '96, UKACC International Conference on (Conf. Publ. No. 427)

Volume 1, 2-5 Sept. 1996 Page(s):527 - 532 vol.1

[AbstractPlus](#) | Full Text: [PDF](#)(384 KB) IEEE CNF**3. Experiences parallelizing a commercial network simulator**

Hao Wu; Fujimoto, R.M.; Riley, G.;

Simulation Conference, 2001. Proceedings of the Winter

Volume 2, 9-12 Dec. 2001 Page(s):1353 - 1360 vol.2

Digital Object Identifier 10.1109/WSC.2001.977456


[AbstractPlus](#) | Full Text: [PDF](#)(749 KB) IEEE CNF**4. Engine load torque estimation using nonlinear observers**

Moskwa, J.J.; Chung-Hung Pan;

Decision and Control, 1995., Proceedings of the 34th IEEE Conference on

Volume 4, 13-15 Dec. 1995 Page(s):3397 - 3402 vol.4

Digital Object Identifier 10.1109/CDC.1995.479013

[AbstractPlus](#) | Full Text: [PDF](#)(468 KB) IEEE CNF[Help](#) [Contact Us](#) [Privacy](#)

© Copyright 2005 IEEE

 indexed by